



# Proof, Photo & Production media

## PRODUCT DATASHEET



### EFI Proof Paper 8200BA Sermimatt



#### Description:

The EFI Proof Paper 8200BA Sermimatt was especially developed for proofing of coated production papers with OBA content. The very similar white point of the EFI Proof Paper 8200BA Sermimatt to FOGRA51 enables proofing without paper white simulation. It is also very suitable for simulating PC1 according to ISO 12647-2:2013.



#### Application:

Proofing  
Photo  
Production

#### Technical data:

Weight	205 g/m <sup>2</sup>
Caliper	205 μm
Opacity	94 %
Gloss	54 % [75°]
CIE L*a*b* (M0)	96,2   0,9   -4,3
CIE L*a*b* (M1)	96,4   1,1   -5,9
Storage	15-30°C (40-60% RH)

#### Size

Sheets	Rolls	Core	Rolls	Core
DIN A4 (210 x 297 mm)	32,9 cm x 30 m (13")	3" *)	106,7 cm x 30 m (42")	3" *)
SUPER A4 (241 x 340 mm)	36,0 cm x 30 m (14,17")	3" *)	111,8 cm x 30 m (44")	3" *)
DIN A3 (297 x 420 mm)	43,2 cm x 30 m (17")	3" *)	127,0 cm x 30 m (50")	3" *)
DIN A3+ (330 x 483 mm)	50,8 cm x 30 m (20")	3" *)	152,4 cm x 30 m (60")	3" *)
DIN A2 (420 x 594 mm)	61,0 cm x 30 m (24")	3" *)		
	91,4 cm x 30 m (36")	3" *)	43,2 cm x 5 m (17")	3" *)

\*) supplied with each two adapters 3" to 2" core



Important: Before using our print media, please verify that it is suitable for use with your printer. We shall not assume liability for non-performance of the print media resulting from changes beyond our control in printing inks or printers. Specifications are subject to change without notice. This product data sheet is intended to be used as a guideline only. Storing conditions: Please keep product in the supplied boxes for best possible protection. Product must be stored in a cool and dry environment, exposure to sun light is to be avoided.